



**Met One
Instruments**


034B Wind Sensor

General Use Wind Sensor

The 034B Wind Sensor combines wind speed and direction measurements in a single sensing unit. It installs in minutes and provides accurate, long-term, continuous monitoring in hostile environments. The sensor uses a quick-connect sensor cable which may extend hundreds of feet without affecting measurement performance.

FEATURES

- Compact design for minimum visual impact
- Long field life
- Durable aluminum and stainless steel construction
- Low starting threshold
- Very low power operation
- Easy maintenance and re-alignment
- Sealed magnetic reed switch for wind speed measurement
- Aluminum direction vane coupled to a precision potentiometer
- Digital or analog measurement ability



034B Wind Sensor

SPECIFICATIONS

WIND SPEED

Range:	0 - 167 mph (0 - 75 m/s)
Starting Threshold:	0.9 mph (0.4 m/s)
Accuracy < 22.7 mph:	.25 mph (0.1 m/s)
Accuracy > 22.7 mph:	±1.1% of true

WIND DIRECTION

Range:	Mechanical: 0° - 360°
Electrical:	0 - 356°
Starting Threshold:	0.9 mph (0.4 m/s)
Accuracy:	±4°
Damping Ratio:	.25 standard (.4 to .6 optional)
Resolution:	< 0.5°

TEMPERATURE RANGE

-30°C to +70°C (-22°F to +158°F)	Minimal icing conditions
----------------------------------	--------------------------

OUTPUT SIGNAL

Wind Speed:	Pulsed contact closure
Wind Direction:	Potentiometer output (0 - 10 K ohms)

**Met One
Instruments, Inc.**

1600 Washington Blvd.,
Grants Pass, OR 97526
Tel 541.471.7111
Fax 541.471.7116
sales@metone.com



Met One
Instruments

034B Wind Sensor

SPECIFICATIONS

PHYSICAL CHARACTERISTICS

Sensor Weight:	1 lb 12.5 oz (0.81 kg)
Finish:	Clear anodized aluminum

CABLE & MOUNTING

PN 3013	Cable Assembly; specify length in feet or meters
Mounting:	PN 2954 Mounting & Alignment Adapter

Mounting with the alignment adapter (PN 2954) maintains alignment even if the sensor is removed for maintenance. The alignment adapter mounts the 034B to 1" diameter tubing or pipe. PN 7156 is a horizontal sensor mounting arm. Contact factory for special mounting applications.

Specifications are subject to change at any time.

**Met One
Instruments, Inc.**

1600 Washington Blvd.,
Grants Pass, OR 97526
Tel 541.471.7111
Fax 541.471.7116
sales@metone.com